

1976 Plymouth
FURY

FURY

FURY SPORT

FURY SALON

FURY SUBURBAN

FURY SPORT SUBURBAN



Fury Sport

Here's a two-door hardtop designed to appeal to the youth and the sport in you. Such sporty items as wheel covers, velour cloth and vinyl bench seat with folding centre armrest and deep-pile carpeting are standard. So is a padded steering wheel. And new this year: available quarter opera window louvers and canopy vinyl roof. All this and more make Fury the value sport it is.



Fury Salon

The car is mid-size, the plushness large. Standard Fury Salon interiors boast a stylish velour body cloth with centre fold-down armrest. Available is the 60/40 bench seat with recliners. Deep-pile shag carpeting is standard. Not only rich looking, but an interior quietner, too. Up front you can choose the 225 six-cylinder engine or the extra-smooth 318-V8. A favourite option is Torqueflite automatic transmission.



Fury

Basic value? The basic Fury. Available in two-door hardtop and four-door sedan models, this is the economical Fury. Like all Furys it features a new steering wheel, three-speed manual column-mounted transmission, power steering on the eight-cylinder models, 18 exterior colours to choose from. Available are a new tilt steering column and a space saver spare tire with carpeted tire cover.



Fury Wagons



Our Suburban and Sport Suburban two- and three-seat wagons prove that mid-size (224.2 inches long overall) doesn't mean small-size. Example: our Furys can carry 4-foot by 8-foot materials flat, not tilted, with the tailgate *closed*. All are Chrysler-engineered for superb people comfort. A 360-V8 with Torqueflite automatic transmission is standard. Fury. Mid-size doesn't mean small.



Fury Options

Your Fury "as is" is quite an automobile, mid-size value at its finest. And you can add to that value by selecting from a wide array of comfort and convenience options offered by Plymouth to make your Fury association a most pleasant one. Here are some of them:

1. **TRAILER TOWING PACKAGES.** Tow, tow, tow your boat, trailer, or whatever, with ease. From light-duty loads (up to 2,000 pounds) to heavy-duty (up to 5,000 pounds), there's a package right for you. See your dealer for details.
2. **AIR CONDITIONING.** Fresh, cooling air takes the heat off and you ride surrounded by the peace and quiet of a closed car.
3. **AM/FM RADIO.** One of the most popular Fury radios. With it you enjoy the best of both kinds of programming, AM or FM, whichever you turn on to.
4. **AUTO SPEED CONTROL.** Keeps your accelerator foot at ease on long trips. Automatically holds the speed you select, disengages when you brake, accelerate or take off the control.
5. **ELECTRIC REAR WINDOW DEFROSTER.** Almost a must in cold or damp climates. Heat-conducting wires on the rear window glass clear snow, ice or fog in minutes and keep it clear for full visibility.
6. **ROOF LUGGAGE RACK (WAGONS).** A durable, double-chromed luggage carrier that keeps luggage out of your way top-side and lets you have all the Fury interior roominess to yourself.
7. **POWER DOOR LOCKS.** They offer convenience and security. A single control on each front door locks or unlocks all doors. Great for unlocking doors for entering passengers. Nice to have with children in the car, too.



Plymouth Fury

Standard Features

- AIR PUMP—400 (4-barrel, dual exhaust) 8-cylinder engine
- ALTERNATOR—50 amp. with transistorized voltage regulator
- ANTI-FREEZE—Glycol base, —35°
- *ARMRESTS—Front and rear, padded
- ASH RECEIVERS—Instrument panel and rear armrests
- BATTERY—305 amp. hour
- *BODY—Unibody construction combines body and frame into one solid, strong unit. Seven-stage rustproofing
- *BRAKES—Dual braking system, self-adjusting front and rear
Front—manual disc (except Station Wagons)
Power disc (Station Wagons)
Rear—drum type with bonded linings
- BUMPERS—Hydraulic bumper system sustains barrier impacts at speeds up to 5 m.p.h., front and rear
- BUMPER GUARDS—Rear on Sedans and Station Wagons
- CATALYTIC EXHAUST SYSTEM—All 225 6-cylinder and 318 8-cylinder engines
- COAT HOOKS—Left and right side, of special soft plastic
- COOLANT RESERVE SYSTEM
- DOOR CHECKS—2-position on all doors
- *DOORS—Safety action inside door handles. Non-protruding. Keyless locking system. Non-override door locks (except driver's door)
- EMISSION CONTROLS—Closed crank-case ventilation. Air preheat. Evaporative control and charcoal canister. Automatic vacuum spark advance, exhaust gas recirculation and electric-assist choke
- HEADLINING—Moulded one-piece fibreglass (except Station Wagons) —perforated hardboard (Station Wagons)
- HEATER/DEFROSTERS—With upper level ventilation
- HORN—Single low note (except Fury Sport, Fury Salon and Sport Suburban). Dual, Fury Sport, Fury Salon and Sport Suburban
- IGNITION—Electronic ignition system eliminates breaker points and condenser. Reduces tune-ups and emissions. Provides easier starting
- *INSTRUMENT PANEL AND CONTROLS—Padded, recessed controls, variable intensity lights, key-left-in ignition warning buzzer, master cylinder and park brake warning indicator, glove box lock, cigar lighter, seat belt warning light for driver only

*Safety features

- INSULATION—Special insulation. Seals on hood, doors, dash panel, roof, trunk and floor pan help keep out noise and heat
- LIGHTS—Single headlights, dual tail-lights, stoplights and backup lights, side marker lights and reflectors, dome light with front door courtesy switch, turn signal lights with lane change feature, 4-way emergency flasher
- *LOCKS—Anti-theft ignition and deck lid
- *MIRRORS—Outside rear view left. Inside, prismatic day/night, balljoint mounted with energy-absorbing lip around edge of glass, windshield mounted
- PAINT—18 colours in durable, sparkling Acrylustre finish
- *SEATS—Bench type with driver and passenger head restraints. Foam pads and flame-resistant materials, energy-absorbing front seat back. Seat-back latches on 2-door models
- *SEAT BELTS—Combined lap/shoulder belt system for driver and front outboard passenger. Lap belts for all remaining passengers. Automatic retractors for driver and front passenger and outboard passenger in rear seat. Seat belt reminder light and buzzer for driver
- *SIDE IMPACT—Protection beams in doors
- *SUN VISORS—Left and right, padded, swivel type
- *STEERING—Manual, 6-cylinder models without air conditioning. Power steering standard all 8-cylinder models and Station Wagons. Impact-absorbing wheel and steering column, steering column lock, 2-spoke steering wheel with padded hub
- SUSPENSION—Torsion-Quiet Ride. Special group of rubber bushings on fore structure, steering mechanism. Torsion bars, and rear springs greatly reduce road noise. Front sway bar. Torsion bars front. Leaf springs rear and Oriflow shock absorbers
- TRANSMISSION—3-speed manual (standard 225 and 318 engines). Automatic 3-speed Torqueflite (standard Station Wagons)
- *WHEELS—14" safety-rim
- *WINDSHIELD—Heavy laminated glass prevents inside shattering
- *WINDSHIELD WASHERS—Dual electric
- *WINDSHIELD WIPERS—Dual with overlap wipe pattern
- WINDOWS—Ventless side windows

Selected Optional Equipment

- AIR CONDITIONING—6- and 8-cylinder engines
 - ALTERNATOR—Single belt, 65 amp., 85 amp. Leece Neville or 100 amp.
 - AUTO-LOCK TAILGATE—Station Wagons
 - AUTOMATIC SPEED CONTROL—8-cylinder engines
 - BATTERY—500 amp. extended life
 - BUMPER GUARDS—Front and rear (2-door Hardtops)
Front—Sedans & Station Wagons
CLOCK—Electric
 - CONSOLE with 8-cylinder only (Fury Sport)
 - DEFOGGER—Rear window (not available on Station Wagons)
 - ELECTRIC FUEL PACER—Includes fender-mounted turn signal indicators
 - ELECTRIC HEATED REAR WINDOW DEFROSTER—Includes 100 amp. heavy-duty alternator
 - ENGINE BLOCK HEATER
 - GLASS—Tinted windshield only or all windows
 - HOOD RELEASE—Instrumental panel mounted
 - LOCKING FUEL FILLER CAP
 - LUGGAGE RACK—Station Wagons only
 - MIRROR—Left or right outside remote control. Dual racing mirrors, chrome or painted (2-door Hardtops)
 - PACKAGES—There are many special package options available, some of which are: Light Package, Light or Heavy-Duty Trailer Towing Package, Easy Order Package, Deluxe Insulation Package, or the Air-Conditioning Package. See your dealer for full details
 - POWER ASSISTS—Electric deck lid release. Seats, windows and door locks, power steering (6-cylinder models)
 - RADIO—AM pushbutton, AM/FM pushbutton, AM/FM multiplex with 8-track stereo tape
 - SUN ROOF—Manually operated, 2-door Hardtops
 - TILT STEERING WHEEL
 - UNDERCOATING AND HOOD SILENCER PAD
 - VINYL ROOF—Full or canopy. Not available wagons
—Canopy vinyl roof with opera window louvers (Hardtops)
 - WHEEL COVERS—Wire wheel
 - WHEELS—Rallye type or styled road wheels
 - WINDSHIELD WIPERS—3-Speed
- THERE ARE MANY OTHER OPTIONS AVAILABLE. SEE YOUR DEALER FOR FULL DETAILS.**

Seat Availability

Model	Standard Seat	Material	Optional Seat	Material	
Fury	—Four-Door Sedan	Bench	Cloth & Vinyl	Bench with centre armrest	Vinyl
	—Two-Door Hardtop	Bench	Cloth & Vinyl	Bench with centre armrest	Vinyl
	—Suburban	Bench	Vinyl	Bench with centre armrest	Vinyl
Fury Salon	Bench with centre armrest	Cloth & Vinyl	(a) 60/40 split bench with centre armrest	Vinyl or Cloth & Vinyl	
			Bench with centre armrest	Vinyl	
Fury Sport	Bench with centre armrest	Cloth & Vinyl	(a) 60/40 split bench with centre armrest	Cloth & Vinyl	
			Bench with centre armrest	Vinyl	
			Bucket with centre armrest	Vinyl or Cloth & Vinyl	
Sport Suburban	Bench with centre armrest	Vinyl	(a) 60/40 split bench with centre armrest	Vinyl	

(a) Includes recliners

Plymouth Fury — Basic Specifications

Model Availability	2-Door Hardtop		4-Door Sedan		Station Wagon	
					2-Seat	3-Seat
Fury	X		X			
Fury Suburban					X	X
Fury Salon			X			
Fury Sport	X					
Fury Sport Suburban					X	X

Exterior Dimensions	4-Door Sedan	2-Door Hardtop	Station Wagon
Wheelbase	117.5"	115.0"	117.5"
Overall length (a)	218.4"	213.7"	224.2"
Overall width	77.7"	77.7"	78.8"
Overall height	54.0"	52.6"	55.8"
Track—front	61.9"	61.9"	61.9"
—rear	62.0"	62.0"	63.4"
Road clearance	5.1"	4.8"	5.8"
Approximate shipping weight, lbs.			
6-cylinder	3585	3555	—
8-cylinder	3700	3670	4178 (b)

(a) Includes Bumper Guards
 (b) Three-Seat Wagon — 4283

Interior Dimensions	4-Door Sedan	2-Door Hardtop	Station Wagon
Effective Head Room—front	38.6"	37.6"	39.6"
—rear	37.3"	36.6"	39.9"
Effective Leg Room—front	42.4"	42.4"	42.4"
—rear	35.2"	32.4"	35.1"
Shoulder Room—front	59.2"	59.6"	59.2"
—rear	59.3"	60.0"	59.3"
Hip Room—front	59.2"	56.6"	59.2"
—rear	59.2"	57.0"	59.2"
Entrance Height—front	30.2"	29.3"	30.2"
—rear	29.9"	—	30.2"
Seat Height—front	8.6"	8.6"	8.6"
—rear	11.4"	10.6"	11.0"

Luggage Compartment	4-Door Sedan	2-Door Hardtop
Usable Space (cu. ft.)	19.4	14.5
Usable Length	53.2"	49.7"
Usable Width	74.3"	73.8"
Loading Height	26.5"	28.9"

Station Wagon — Cargo Compartment	
Height—Floor to roof at tailgate opening	27.0"
Length—2nd seat to end of open tailgate	84.9"
—2nd seat to closed tailgate	59.3"
—Front seat to end of open tailgate	116.7"
—Front seat to closed tailgate	84.2"
Width—Floor at tailgate opening	50.0"
—Floor between wheelhousing	48.5"
—At beltline	49.8"
Tailgate loading height	26.8"
Cargo volume (cu. ft.)	86.8

Engine and Transmission Specifications

Engine Specifications	6-Cylinder Models		8-Cylinder Models			
Displacement (cu. in.)	225	318	360	400	400	400
Bore (in.)	3.4	3.91	4.00	4.34	4.34	4.34
Stroke (in.)	4.12	3.31	3.58	3.38	3.38	3.38
Installed Net Horsepower @ R.P.M.	100 @ 3600	145 @ 4000	170 @ 4000	205 @ 4000	240 @ 4400	240 @ 4400
Installed Net Torque @ R.P.M.	170 @ 1600	250 @ 1600	280 @ 2400	305 @ 3200	325 @ 3200	325 @ 3200
Compression Ratio	8.4 to 1	8.5 to 1	8.4 to 1	8.2 to 1	8.2 to 1	8.2 to 1
Carburetor	1-1 bbl.	1-2 bbl.	1-2 bbl.	1-4 bbl.	1-4 bbl.	1-4 bbl.
Air Cleaner	Silenced	Silenced	Silenced	Single Snorkel	Low Restrict'n	Double Snorkel
Catalytic Exhaust System	Std.	Std.	N.A.	N.A.	N.A.	N.A.
Exhaust	Single	Single	Single	Single	Single	Dual
Fuel Required	Unleaded	Unleaded	Leaded or Unleaded	Leaded or Unleaded	Leaded or Unleaded	Leaded or Unleaded
Engine Application by Model						
Fury	Std.	Std.	Opt.	Opt.	Opt.	Opt.
Fury Suburban	N.A.	N.A.	Std.	Opt.	Opt.	Opt.
Fury Salon	Std.	Std.	Opt.	Opt.	Opt.	Opt.
Fury Sport	Std.	Std.	Opt.	Opt.	Opt.	Opt.
Fury Sport Suburban	N.A.	N.A.	Std.	Opt.	Opt.	Opt.
Transmission Application by Engine						
3-Speed Manual	Std.	Std.	N.A.	N.A.	N.A.	N.A.
Torqueflite 3-Speed Automatic	Opt.	Opt.	Std.	Std.	Std.	Std.

Std.—Standard Equipment Opt.—Optional Equipment N.A.—Not Available



If you circled the world for a year, you couldn't outdrive our warranty.

- 1** Unlimited mileage warranty for 12 months
Excludes police cars and taxis only.
- 2** Worn-out items replaced
Includes selected items such as shocks, mufflers, brake linings and disc brake pads. During the first 12 months, if they wear out, they will be replaced without charge for parts or labour.
- 3** No charge for parts or labour
Any part which proves defective in normal use, will be replaced without charge, regardless of mileage. Even tires are covered by the tire manufacturer.
- 4** What do you have to do?
You must perform normal maintenance such as changing the oil, filters and replacing wiper blades.



The Chrysler Warranty The first year's on us.

That's our way of saying unlimited mileage for the first year.



All product illustrations and specifications are based on authorized information. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Some of the equipment shown on product illustrations is optional, at extra cost. Chrysler Canada Ltd. reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, standard and optional equipment listed, colours and materials, and to change or discontinue models.